

VETRI VINAYAHA COLLEGE OF ENGINEERING AND TECHNOLOGY THOTTIAM – 621215 DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING B.E FOURTH SEMESTER

CS6401 OPERATING SYSTEMS

(Regulation 2013)

UNIT I

OPERATING SYSTEMS OVERVIEW

Computer System Overview-Basic Elements, Instruction Execution, Interrupts, Memory Hierarchy, Cache Memory, Direct Memory Access, Multiprocessor and Multicore Organization. Operating system overview-objectives and functions, Evolution of Operating System. Computer System Organization-Operating System Structure and Operations- System Calls, System Programs, OS Generation and System Boot.

PART – A

1. What is meant by Mainframe Systems?

Mainframe systems are the first computers developed to tackle many commercial and scientific applications. These systems are developed from the batch systems and then multiprogramming system and finally time sharing systems.

2. What is meant by Batch Systems?

In this, operators batched together jobs with similar needs and ran through the computer as a group. The operators would sort programs into batches with similar requirements and as system become available, it would run each batch.

3. What is meant by Multiprogramming?

Several users simultaneously compete for system resources (i.e) the job currently waiting for I/O will yield the CPU to another job which is ready to do calculations, if another job is waiting. Thus it increases CPU utilization and system throughput.

4. What is meant by Time-sharing Systems?

Time Sharing is a logical extension of multiprogramming. Here, CPU executes multiple jobs by switching among them, but the switches occur so frequently that the users can interact with each program while it is running.

5. What are the Components of a Computer System?

Application Programs System Program Operating System Computer Hardware

6. What are the advantages of Multiprogramming?

Increased System Throughput Increased CPU utilization

7. What are Multiprocessor System? Multiprocessor systems have systems more than one processor for communication, sharing the computer bus, the memory, clock & peripheral devices.

8. What are the advantages of multiprocessors?

Increased throughput Economy of scale

9. What is meant by clustered system? Clustered systems are collection of multiple CPUs to accomplish computational work. Those systems share storage and are closely linked via LAN networking.

10. What are the types of clustering?

Asymmetric Clustering & Clustering over a WAN

11. What is meant by Asymmetric Clustering?

In this clustering, one machine is in hot standby mode, while the other is running the application. The hot standby machine just monitors the active server. If that server fails, hot stand by host become the active server.

12. What is meant by Symmetric clustering?

In this, two or more hosts are running applications and they are monitoring each other. This clustering requires more than one application be available to run and it uses all of the available hardware.

13. What is meant by parallel clusters?

Parallel clusters allow multiple hosts to access the same data on the shared storage. Each machine has full access to all data in the database.

14. What is meant by symmetric multiprocessing?

In Symmetric multiprocessing, each processor runs an identical copy of the operating system and these copies communicate with one another as needed.

15. What is meant by Asymmetric Multiprocessing?

In Asymmetric multiprocessing, each processor assigned a specific task. A master processor controls the system and the other processors either look to the master for instruction or have predefined tasks. This master processor also schedules and allocates work to the slaves.

16. What is meant by Real time system?

Real time systems are systems that have their in-built characteristics as supplying immediate response. In real time system, each process is assigned a certain level of priority according to the relative importance of the events to be processed.

17. What are the advantages of distributed systems?

Resource sharing Load balancing Reliability Communication link easy

18. What are the applications of real-time systems?

Controlling the machines
Instruments
Industrial process
Landing & tasking off aero planes
Real time simulations
Military applications.

19. What are the types of Real time systems?

Hard Real Time System Soft Real Time System

20. What is meant by Hard Real time systems?

They are generally required to and they guarantee that the critical tasks are completed in given amount of time.

21. What is meant by soft real time system?

It provides priority to the tasks based on their criticality. It does not guarantee completion of critical tasks in time.

22. What is meant by distributed systems?

A distributed system is basically a collection of autonomous computer systems which co-operate with one another through their h/w and s/w interconnections.

23. What are the disadvantages of distributed systems?

Security weakness

Over dependence on performance and reliability Maintenance and control become complex

24. What are the modes of operation in Hardware Protection?

User Mode

Monitor Mode

25. What are Operating Services?

Normally, an operating system provides certain services to programs and to the users of those programs. Some of them are:

Program Execution.

I/O operations

File-system manipulation

Communications

Error Detection

26. What is System Programs?

System programs provide a convenient environment for program development and execution. Some of these programs are user interfaces to system calls and others are more complex. Some of them are:

File Management

Status Information

File modification

Programming Language support

Program loading, execution and communication.

27. What is meant by System Calls?

The System Calls acts as a interface to a running program and the Operating system. These system calls available in assembly language instructions.

28. What is Virtual machine?

The Application programs view everything under them in the hierarchy as though the system programs were part of the machine itself. This layered approach is taken as the logical conclusion in the concept of a Virtual machine.

PART-B

- 1.Explain about computer system overview.
- 2. Sketch the structure of direct memory access.
- 4. Discuss multiprocessor system in detail
- 5. Explain the various types of system calls with an example for each..
- 6. What are the system components of an operating system & explain them?
- 7. Explain the different operations of processes.
- 8. Explain the various memory hierarchies with neat block diagram.
- 9. Differentiate symmetric and asymmetric multiprocessing system.
- 10. In what ways is the modular kernel approach similar to the layered approaches
- 11. Define operating system and list out the function and component of operating system.
- 12. Discuss about the functionality of system boot with respect to operating system.
- 13. Explain about the evolution of virtual machines. Also explain how virtualization implemented in operating system.

UNIT II PROCESS MANAGEMENT

Processes-Process Concept, Process Scheduling, Operations on Processes, Interprocess Communication; Threads- Overview, Multicore Programming, Multithreading Models; Windows 7 - Thread and SMP Management. Process Synchronization - Critical Section Problem, Mutex Locks, Semophores, Monitors; CPU Scheduling and Deadlocks.

PART-A

1. Define Process.

Process is defined as

- -Program in execution
- -A synchronous activity.
- -The "animated spirit" of a procedure
- -The "locus of control of a procedure in execution which is manifested by the existence of a "process control block" in the operating system
- -That entity to which processors are assigned the dispatch able unit

2. What are the different process states available?

Running, if it currently has the CPU

Ready, if it could use a CPU if one were available

Blocked, if it is waiting for some event to happen before it can proceed

3. What is meant by Dispatching?

The Process of assignment of the CPU to the first process on the ready list is called as Dispatching.

4. What is FPCB?

FPCB is a data structure containing certain important information about the process including the following:

Current state of the process

Unique identification of the process

A pointer to the process's parent

A pointer to the process's child

The process's priority

Pointers to locate the process's memory and to allocated resources.

5. How is Blocked state different from others?

The Blocked state is different from others because the others are initiated by entities external to the process.

6. What are the different operations that can be performed on a process?

- 1) Create a process
- 2) Destroy a process
- 3) Change a process's priority
- 4) Wakeup a process
- 5) Enable a process to communicate with others
- 6) Suspend a process
- 7) Resume a process
- 8) Block a process

7. What is meant by Creating a Process? Creating a process involves many operations including

- 1) Name the process
- 2) Insert it in the system's known processes list
- 3) Determine the process's initial priority
- 4) Create the process control block
- 5) Allocate the process's initial resources

8. What is means by Resuming a Process?

Resuming a process involves restarting it from the point at which it was suspended.

9. What is meant by Suspending a Process? Suspending is often performed by the system to remove certain processes temporarily to reduce the system load during a peak loading situation.

10. What is meant by Context Switching?

When an interrupt occurs, the operating system saves the status of the interrupted process routes control to the appropriate first level interrupt handler.

11. What is meant by PSW?

Program Status Words (PSW) controls the order of instruction execution and contains various information about the state of a process. There are three types of PSW's namely Current PSW

New PSW

Old PSW

12. Define Mutual Exclusion.

Each process accessing the shared data excludes all others from doing simultaneously called as Mutual Exclusion.

13. What is meant by Co-operating process?

If a process can affect or be affected by the other processes executing in the system, that process which shares data with other process is called as Co-operating process.

14. What is meant by Interrupt?

An Interrupt is an event that alters the sequence in which a processor executes instructions. It is generated by the hardware of the computer System.

15. What is meant by Degree of Multiprogramming? And when it is said to be Stable?

Degree of Multiprogramming means the number of processes in memory. And it is said to be stable when the average rate of the number of process creation is equal to the average departure rate of processes leaving the system.

16. What is meant by CPU-bound process?

A CPU-bound process generates I/O requests infrequently using more of its time doing computation than an I/O processes. If all processes are CPU-bound, the I/O waiting queue will almost be empty and the devices will go unused and the system will be unbalanced.

17. What is meant by I/O-bound process?

An I/O-bound process spends more of its time doing I/O than it spends doing computations .If all processes are I/O-bound, the ready queue will almost be empty.

18. What is meant by Independent process?

A Process is Independent if it cannot affect or be affected by the other processes executing in the system. Here no process shares its data with other process available.

19. What is meant by Direct Communication?

In Direct communication, each process that wants to communicate must explicitly name the recipient or sender of the communication. In this scheme, the Send & Receive primitives are defined as

send (p, message) - Send a message to process P receive (p, message) - Receive a message to process p

20. What is meant by Indirect Communication?

In Indirect Communication, the messages are sent to and received from mailboxes or ports. A mailbox is an object into which messages can be placed by processes and from which messages can be removed. In this scheme, the Send & Receive primitives are defined as: send (A, message) - Send a message to mailbox A.

receive (A, message) - Receive a message from mailbox A.

21. What are benefits of Multiprogramming?

Responsiveness
Resource Sharing
Economy
Utilization of multiprocessor architectures.

22. What are the conditions that must hold for Deadlock Prevention?

Mutual Exclusion Condition Hold and Wait Condition No Pre-emption condition Circular Wait Condition.

23. What are the options for breaking a Deadlock?

Simply abort one or more process to break the circular wait. Preempt some resources from one or more of the deadlocked processes.

24. What are the algorithms available for Deadlock avoidance?

- 1) Resource-Allocation Graph Algorithm
- 2) Banker's Algorithm
- a. Safety Algorithm
- b. Resource-Request Algorithm

25. What is a Monitor?

A Monitor is characterized by a set of programmer-defined operators. The representation of a Monitor type consists of declaration of variables whose value define the state of an instance of the type, as well as the bodies of procedures or functions that implement operations on the type.

26. What is meant by Counting Semaphore?

A Counting Semaphore is a semaphore whose integer value that can range between 0 & 1.

27. What is meant by Binary Semaphore?

A Binary Semaphore is a semaphore with an integer value that can range between 0 and 1. It can be simpler to implement than a counting semaphore, depending on the underlying hardware architecture.

28. What is meant by Race Condition?

A condition, when several processes access and manipulate the same data on currently and the outcome of the execution depends on the particular order in which the access takes place is called as Race condition.

29. What does a solution for Critical-Section Problem must satisfy?

Mutual Exclusion.

Progress

Bounded Waiting

30. What is meant by Indefinite Blocking or Starvation?

Indefinite Blocking is a situation where process waits indefinitely within the semaphore. This may occur if we add and remove processes from the list associated with a semaphore in LIFO order.

31. What is meant by CPU Scheduler?

When the CPU becomes idle, the operating system must select one of the processes in the ready queue to be executed .This selection process is carried out by the CPU Scheduler.

32. What is meant by CPU Scheduling?

The process of selecting among the processes in memory that are ready to execute and allocates the CPU to one of them is called as CPU Scheduling.

33. What are the types of Scheduling available?

Preemptive Scheduling
Non - preemptive Scheduling
Priority Scheduling

34. What is meant by Priority Scheduling?

The basic idea here is straight toward. Each process is assigned a priority and the run able process with the highest priority is allowed to run.

35. What is Preemptive Scheduling?

A Scheduling discipline is Pre-emptive if the CPU can be taken away before the process completes.

36. What is Non - Preemptive Scheduling?

A Scheduling discipline is non pre-emptive if once a process has been given the CPU, the CPU cannot be taken away from the process.

37. What are the properties of Scheduling Algorithms?

CPU Utilization

Throughput

Turnaround time

Waiting time

Response time

38. What is known as Resource Reservation in Real time Scheduling?

The Scheduler either admits the process, guaranteeing that the process will complete on time or rejects the request as impossible. This is known as Resource Reservation.

39. What is known as Priority inversion?

The high priority process would be waiting for a lower -priority one to finish. This situation is known as Priority Inversion.

- **40. What is meant by Dispatch latency?** The time taken by the dispatcher to stop one process and start another running is known as Dispatch Latency.
- **41. What is meant by Dispatcher?** It is a module that gives control of the CPU to the process selected by the short-term scheduler .This function involves

Switching Context

Switching to User Mode

Jumping to the proper location in the user program to restart that program

42. What is meant by First Come, First Served Scheduling?

In this Scheduling, the process that requests the CPU first is allocated the CPU first. This Scheduling algorithm is Non Pre-emptive.

43. What is meant by Shortest Job First Scheduling?

When the CPU is available, it is assigned to the process that has the smallest next CPU burst. This Scheduling algorithm is either Pre-emptive or Non Pre-emptive.

44. What is meant by Priority Scheduling?

A Priority is associated with each process and the CPU is allocated to the process with the highest priority. This is also either Pre-emptive or Non Pre-emptive.

45. What is meant by Memory-Management Unit?

The run-time mapping form virtual to physical addresses is done by a hardware device is a called as Memory Management Unit.

46. What is meant by Input Queue?

The Collection of processes on the disk that is waiting to be brought into memory for execution forms the Input Queue.

47. What is Round-Robin Scheduling?

In Round-Robin Scheduling, processes are dispatched FIFO, but are given a limited amount of CPU time. If a process doesn't complete before it's CPU time expires, the CPU is Pre-emptied and given to the next waiting process. The Pre-emptied is then placed at the back of the ready list.

PART B

- 1. Explain about operations on process.
- 2. What are semaphores? how do they implement mutual exclusion?
- 3. How does a deadlock can be avoided using banker's algorithm (8).
- 5. Discuss in detail the critical section problems and also write the algorithm for readers-writers problem with semaphores.
- 6. Discuss about the issues to be considered with multithreaded programs.
- 7. Explain the various scheduling criteria in evaluating scheduling algorithm. (8)
- 8. What is critical section? specify the requirements, for a solution to the critical section problem. (8)
- 9. Explain the banker's algorithm for deadlock avoidance with illustration.(8)
- 10. Write about the various CPU scheduling algorithms.
- 11. Write notes about multiple-processor scheduling and real-time scheduling.
- 12. Explain what semaphores are, their usage, implementation given to avoid busy waiting and binary semaphores.
- 14. Show how wait() and signal()semaphore operations could be implemented in multiprocessor environments, using the test and set() instruction. Develop pseudocode for implementing the operations.
- 16. Give a detailed description about deadlocks and its characterization
- 17. Write in detail about deadlock avoidance.
- 18. Round Robin(RR) (quantum=10ms) scheduling algorithms. Illustrate the scheduling using Gantt chart. Which algorithm will give the minimum average waiting time? Discuss. Consider the following page reference string
- 7, 0, 1, 2, 0, 3, 0, 4, 2, 3, 0, 3, 2, 1, 2, 0, 1, 7, 0, 1
- 19. How many page faults would occur for the following replacement algorithms, assuming three frames that all frames are initially empty?
- 20. Construct a Resource Allocation Graph for the following scenario. At time't' ProcessP1 request for a resource X, process P2 requests for a resource Y. Both the resources are Available and they are allocated to the requesting process. At time t1 where t1>t2 both the processes are still holding the resources, however process P1 request for Y which is held by P2, process P2 request for X held by P1. Will there be a deadlock? f there is a deadlock discuss the four necessary conditions for deadlock, else justify there is no deadlock
- 21. Consider the following snapshot of a system. Execute Banker's algorithm answer the following. Allocation Max Available

ABCDABCDABCD

P0 0 0 1 1 0 0 1 1 1 5 2 2

P1 10 0 11 7 5 1

P3 1 3 5 1 2 3 5 2

P4 0 0 1 1 5 6 5 1

- 22. What are the methods involved in recovery from deadlocks?
- 23. Explain implementation of producers/Consumers problem using monitor.
- 24. Discuss the critical section problem. State the basic requirements of critical section problem solution

UNIT III STORAGE MANAGEMENT

Main Memory-Contiguous Memory Allocation, Segmentation, Paging, 32 and 64 bit architecture Examples; Virtual Memory- Demand Paging, Page Replacement, Allocation, Thrashing; Allocating Kernel Memory, OS Examples.

PART-A

1. What is known as Dynamic loading?

With Dynamic loading, a routine is not loaded until it is called. All routines are kept on disk in a re-locatable load format. The main program is loaded into memory and is executed. When a routine needs to call another routine, the calling routine first checks to see whether the another routine has been loaded. If not, the re-locatable linking loader is called to load the desired routine into memory and to update the program's address tables to reflect this change. Then, Control is passed to the newly loaded routine.

2. What is meant by Swapping?

It is a process of bringing in each process in its entirety, running it for a while and then putting it back on the disk.

3. What is the advantage of Dynamic Loading?

The advantage of Dynamic Loading is that an unused routine is never loaded.(i.e) when large amounts of code are needed to handle infrequently occurring cases, such as error routines. Here although program size may be large, the portion that is used may be much smaller and better memory space utilization.

4. What is known as Dynamic Linking?

In this Dynamic Linking, a stub is included in the image for each library-routine reference. This Stub is a small piece of code that indicates how to locate the appropriate memory-resident library routine or how to load the library if the routine is not already present.

5. What is meant by External Fragmentation and Internal Fragmentation?

External Fragmentation exists when enough total memory space exists to satisfy a request, but it is not contiguous and storage is fragmented into a large number of small holes.

The memory allocated to a process may be slightly larger than the requested memory.

The difference between these two numbers is called as Internal Fragmentation.

6. What is meant by Paging? Give its advantages.

Paging is a Memory-management scheme that permits the physical -address space of a process to be Non-contiguous. Advantages:

Avoids the considerable problem of fitting the varying -sized memory chunks onto the baking store

Fragmentation problems are also prevalent baking store, except that access is much slower, so compaction is impossible.

7. What is TLB and Hit-Ratio?

Translation Lookaside Buffer (TLB) is a small, special and fast cache which is associated with high speed memory.

The Percentage of times that a particular page number is found in the Translation Lookaside Buffer (TLB) is called as Hit- Ratio.

8. What is meant by Segmentation?

Segmentation is a memory-management scheme that supports the user-view memory. Blocks of different size is called as Segments and its associative virtual storage Organization is called as Segmentation.

9. What is meant by Memory Compaction?

When swapping creates multiple holes in memory, it is possible to combine them all into one big one by moving all the processes downward as far as possible.

10. What is meant by overlay?

The idea of overlays is to keep in memory only those instructions and data that are needed at any given time. So, to enable a process to be larger than the amount of memory allocated to it.

11. What is meant by Demand Paging?

Whenever the CPU tries to fetch the first instruction, it gets a page fault causing the 0S to bring in the page containing that instruction. Thus the pages are loaded only on demand is called as Demand Paging.

12. What is meant by Locality of reference?

During any phase of execution, the page references only a relative small fraction of its pages. This reference of fraction of all pages is called as Locality of Reference.

13. What are the principal events of Process Creation?

System Initialization.

Execution of a System call by a running process.

A user request to create a new process.

Initiation of a batch job.

14. What is meant by Page Fault?

Whenever memory management unit notices that the page is unmapped and causes the CPU to trap to the Operating System. This trap is called as Page Fault.

15. What is meant by Thrashing?

A Program which is causing page faults every few instructions to occur is called as Thrashing.

16. What is meant by Text File?

A Text File is a sequence of characters organized into lines.

17. What is meant by Source File?

A Source File is a sequence of subroutines and functions, each of which is further organized as declarations followed by executable statements.

18. What is meant by Object File?

An Object file is a sequence of bytes organized into blocks understandable by the system's linker.

19. What is meant by Executable file?

An Executable file is a series of code sections that the loader can bring into memory and execute.

20. What are the Access methods available?

Sequential Access

Direct Access

Other Access methods

21. What is meant by Page Table?

Page Table is a table which has the ability to mark an entry invalid through a Valid – Invalid bit or special value of protection bits.

PART-B

- 1. Explain about Contiguos memory allocation with variable size partion.
- 2. briefly explain and compare, fixed and dynamic memory portioning schemes.
- 3. Explain the concept of paging in detail with necessary diagrams.
- 4. List the steps needed to perform page replacement.
- 5. Explain with the help of examples FIFO and LRU page replacement algorithms.
- 6. with a neat sketch, explain how logical address is translated into physical address using paging mechanism.
- 7. Briefly explain and compare, fixed and dynamic memory partitioning schemes.
- 8. Explain with the help of examples FIFO and LRU, optical page replacement algorithms with example reference string. Mention the merits and demerits of each of the above algorithm.
- 9. Explain memory management in Linux operating system.
- 10. Explain about contiguous memory allocation
- 11. Write about the techniques for structuring the page table.
- 12. Explain the basic concepts of segmentation.
- 13. What is demand paging and what is its use?
- 14. Explain the various page replacement strategies
- 15. What is thrashing and explain the methods to avoid thrashing?
- 18. Write short notes on swapping
- 19. Consider the following page reference string: 2, 3, 4, 2, 1, 5, 6, 4, 1, 2, 3, 7, 6, 3, 2, 1 Calculate the number of page faults would occur for the following page replacement algorithm with frame size of 4 and 5.
- 20. Explain the page fault handling routine with diagram.
- 21. Explain Contiguous and Non contiguous memory allocation with example.

UNIT IV

I/O SYSTEMS

Mass Storage Structure- Overview, Disk Scheduling and Management; File System Storage-File Concepts, Directory and Disk Structure, Sharing and Protection; File System Implementation-File System Structure, Directory Structure, Allocation Methods, Free Space Management, I/O Systems.

PART-A

1. What are the various operations performed in a File?

- a. Creating
- b. Deleting
- c. Opening
- d. Closing
- e. Reading
- f. Writing
- g. Appending
- h. Seeking
- i. Renaming

2. What are the operations performed in a Directory?

- 1) Create
- 2) Delete
- 3) Opendir
- 4) Closedir
- 5) Readdir
- 6) Rename
- 7) Link
- 8) Unlink

3. What are the different directory structures available?

Single - Level Directory

Two - Level Directory

Three - Structured Directory

A cyclic - Graph DirectoryGeneral Graph Directory

4. What is meant by Swapping?

It is a process of bringing in each process in its entirety, running it for a while, then putting it back on the disk.

5. What is meant by Memory Compaction?

When swapping creates multiple holes in memory, it is possible to combine them all into one big by moving all the processes downward as far as possible.

6. What is meant by Boot Control block?

The Block which contains information needed by the system to boot an operating system from that partition is called as Boot Control Block.

18. What is meant by Partition Control Block?

The Block which contains partition details such as the number of blocks in that partition, size of the blocks, free -block count and free - block pointers is called as partition control Block.

19. What are the different methods for allocation in a File System?

Contiguous Allocation

Linked Allocation Indexed Allocation

20. What is meant by Free Space List?

The list which maintains/records all free disk block which means blocks that are not allocated to some file or Directory.

21. What is meant by Buffering?

Buffering is a process of providing space in the primary storage to hold the physical blocks of files at once.

22. What is Double Buffering?

It is a process in which the first buffer receives and holds the records generated by the running process until it becomes full. Thus the process continues to deposit the generated records in first buffer.

23. Mention few Page Replacement Strategies.

Optimal Page Replacement FIFO Page Replacement LRU Page replacement MFU Page Replacement LFU Page Replacement Random Page Replacement

24. What is meant by Global Replacement and Local Replacement?

Global Page Replacement allows a process to select a replacement frame from the set of all frames, even if that frame is currently allocated to some other process.

Local Replacement requires that each process select from only its own set of allocated frames. Here the number of frames allocated to a process doesn't change.

25. What is meant by Working Set?

A Working Set is defined as the collection of pages a process is actively referencing.

26. What is meant by Double Buffering?

A Memory Mapping proceeds by reading in disk blocks from the file system and storing them in the buffer cache. Because the virtual memory system cannot interface with the buffer cache, the contents of file in the buffer cache must be copied into the page cache. This situation is known as Double Caching .

27. What are File Attributes?

Identifier
Type, Size
Location, protection
Time, Date & User Identification

29. What is meant by Identifier in Files?

This has a unique tag, which is always a number that identifies the file within the file-system and it is non-human readable name for the file.

30. What is meant by File Pointer?

This pointer is unique to each process operating on the file and it is the pointer used by the pointer used by the system to track the last read-write location as a current - file position pointer.

31. What is meant by Seek Time?

It is the time taken for the disk arm to move the heads to the cylinder containing the desired sector

32. What is meant by Rotational Latency?

It is defined as the additional time waiting for the disk to rotate the desired sector to the disk head.

33. What is meant by Band Width?

Band Width is the total number of bytes transferred, divided by the total time between the first request for service and the completion of the last transfer.

34. What is meant by Low-level formatting?

Low-level formatting fills the disk with a special data structure for each sector .The Data structure for a sector typically consists of a header ,a data area and a trailer.

35. What is meant by Swap-Space Management?

It is a low-level task of the operating system .Efficient management of the swap space is called as Swap space management. This Swap space is the space needed for the entire process image including code and Data segments.

36. What is meant by Disk Scheduling?

Disk scheduling is a process of allocation of the disk to one process at a time. In multi-programmed system, many processes try to read or write the records on disks as the same time. To avoid disk arbitration, it is necessary.

37. Why Disk Scheduling necessary?

To avoid Disk arbitration which occurs when many processes try to read or write the records on disks at the same time, Disk Scheduling is necessary.

38. What are the characteristics of Disk Scheduling?

- 1) Throughput
- 2) Mean Response Time
- 3) Variance of Response time

39. What are the different types of Disk Scheduling?.

Some of the Disk Scheduling are (i).SSTF Scheduling (ii).FCFS Scheduling (iii) SCAN Scheduling (iv).C-SCAN Scheduling (v).LOOK Scheduling.

40. What is meant by SSTF Scheduling?.

SSTF Algorithm selects the request with the minimum seek time from the current head position. and SSTF chooses the pending request to the current head position.

41. What is meant by FCFS Scheduling?

It is Simplest form of Disk Scheduling. This algorithm serves the first come process always and is does not provide Fast service.

42.What is meant by SCAN Scheduling ?. In the SCAN algorithm, the disk arm starts at one end of the disk and moves toward the other end of the disk. At the other end, the direction of head movement is reversed and servicing continues across the disk.

43. What is meant by C-SCAN Scheduling?

C-SCAN means Circular SCAN algorithm. This Scheduling is a variant of SCAN designed to provide a more waiting time. This essentially treats the cylinder as a circular list that wraps around from the final cylinder to the first one.

PART-B

- 1. Explain with neat sketch organization of I/O function.
- 2. Write a brief notes on interrupts.
- 3. Explain the concept of disk scheduling.
- 4. Explain linked file allocation method.
- 5. Explain various file directory structure.
- 6. What are files and explain the access methods for files? File definition
- 7. Explain about the RAID structure in disk management with various RAID levels of organization in detail.
- 8. Write notes about the protection strategies provided for files.
- 9. Explain the allocation methods for disk space.
- 10. State the various attributes of file and their purpose.

- 11. Discuss various file operations.
- 12. List and briefly discuss the most common schemes for defining the logical structure of a directory.
- 13. With necessary diagram explain the different allocation methods of disk space.
- 14. List and discuss various methods for implementing a directory. Single-Level directory
- 15. Explain and compare different file access methods.
- 16. Explain the indexed and linked file allocation methods. Discuss the advantages and Disadvantages in those methods.

UNIT V

CASE STUDY

Linux System- Basic Concepts; System Administration-Requirements for Linux System Administrator, Setting up a LINUX Multifunction Server, Domain Name System, Setting Up Local Network Services; Virtualization- Basic Concepts, Setting Up Xen,VMware on Linux Host and Adding Guest OS.

PART-A

1. What is meant by Data Striping?

Data Stripping means splitting the bits of each byte across multiple disks .It is also called as Bit - level Striping .

2. What is meant by Boot Disk?

A Disk that has a boot partition is called as Boot Disk.

3. What are the Components of a Linux System?

Linux System composed of three main modules. They are : (i).Kernel (ii).System libraries (iii).System utilities

4. What are the main support for the Linux modules?

The Module support under Linux has three components. They are : (i). Module Management (ii).Driver Registration. (iii).Conflict Resolution mechanism.

5. What is meant by Process?

A Process is the basic context within which all user-requested activity is serviced within the Operating system.

6. What is meant by Process -ID?

Each process has a unique identifier. PID 's are used to specify processes to the operating system when an application makes a system call to signal, modify or wait for another process.

7. What is meant by Personality?

Process Personalities are primarily used by emulation libraries to request that system call be compatible with certain versions of UNIX.

8. What is meant by Buffer cache?

It is the kernel's main cache for block-oriented devices such as disk drives and is the main mechanism through which I/O to these devices is performed.

9. What is the Disadvantage of Static Linking?

The main disadvantage of static linking is that every program generated must contain copies of exactly the same common system library functions.

10. What is meant by Kernel in Linux system?

Kernel is responsible for maintaining all the important abstractions of the operating system including such things as virtual memory and processes.

11. What is meant by System Libraries?

System Libraries define a standard set of functions through which applications can interact with the kernel and that implement much of the operating -system functionality that doesn't need the full privileges of kernel code.

12. What is meant by System Utilities?.

System Utilities are system programs that perform individual, specialized management tasks. Some of the System utilities may be invoked just to initialize and configure some aspect of the system and others may run permanently, handling such tasks as responding to incoming network connections, accepting logon requests from terminals or updating log files.

13. What is the function of Module management?

The module management allows modules to be loaded into memory and to talk to the rest of the kernel.

14. What is the function of Driver registration?

Driver Registration allows modules to tell the rest of the kernel that a new driver has become available.

15. What is the function of Conflict Resolution mechanism?

This mechanism allows different device drivers to reserve hardware resources and to protect those resources from accidental use by another driver.

16. What is meant by Device drivers?

Device drivers include (i) Character devices such as printers, terminals (ii) Block devices (including all disk drives) and network interface devices.

PART B

- 1. Define Linux system Administrator and list the requirements of Linux system administrator.
- 2. Discuss about the steps involved in the installation of a Linux multifunction server.
- 3. List local network services with example.
- 4. Write short notes on the Linux network services.
- 5. Write about Virtualization with example.
- 6. Briefly Explain about the Layers of Linux Operating System.
- 7. Explain about the Structure of Linux Kernel with necessary diagram.
- 8. Discuss in detail about Scheduling in Linux.
- 9. Explain the significance and steps involved in setting upXen,VMware software on Linux host for successful virtualization in detail.